

09322107-060799

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22

**TITLE: METHOD OF LOCALIZED NETWORK MARKETING**

This is a utility patent application based on a provisional patent application  
(Serial No. 60/105,228) filed on October 21, 1998.

**BACKGROUND OF THE INVENTION**

1. Field of the Invention:

The present invention relates generally to the field of marketing and advertising. More particularly, this invention relates to a method of marketing wherein an advertiser desiring to promote its goods or services to a targeted group of consumers who use a computer linked to a wide area network.

2. Description of the Related Art:

Most advertising schemes attempt to improve the cost effectiveness of advertising by first identifying their customers and then targeting their advertisements to them. Today, it is desirable for advertisers to use the same tactics to target users connected to a wide area

1 network, such as the INTERNET.

2 In order to effectively target advertisements to users of computers connected to a wide  
3 area network, the advertisers must use some method to deliver advertisements. After a  
4 delivery scheme has been adopted, the advertisers must use some distinguishing criteria, such  
5 as age, gender, occupation, hobbies, other interests, purchases, etc. to identify and sort out  
6 potential customers.

7 It is well known that information regarding the web sites visited or items purchased by  
8 a computer user connected to the wide area network may be used to identify potential  
9 customers. One common method used to identify prior visitors of a particular web site is for  
10 the network server to generate and transmit a "cookie" to the user's computer when the user  
11 visits a web site for the first time. Later when the user returns to the web site, the network  
12 server detects the "cookie" and <sup>identifies</sup> ~~regards~~ the user as a return visitor. With this information, the  
13 network server can then transmit new data or advertisements to the user not originally  
14 transmitted to the user in the first visit.

15 Ideally, it is desirable to know the network address of the user's computer so that  
16 advertisements may be transmitted directly to the computer when connected to the wide area  
17 network. If the user has established a permanent account ~~setup~~ at a network service  
18 provider, also known as an Internet Service Provider (a.k.a. ISP), a permanent numerical  
19 address (called an Internet Protocol Address, a.k.a. IP) is assigned to the user. In some  
20 instances, personal information about the user or users of the computer is also given to the  
21 ISP. Every time the user uses a computer to connect to the wide area network, the user's  
22 computer is identified by the user's IP. If a permanent account has not been set up by a

1 network service provider, the user must use a client software program, such as AMERICA  
2 ON-LINE 4.0, which contains account information and a log-on password which are  
3 downloaded to a central server each time the user connects to the network. With each "log-  
4 on" connection, a temporary numerical address is assigned to the user's computer by the  
5 network's server. In either situation, the electronic device's identification information or the  
6 numerical address is obtained. The electronic device's identification information and personal  
7 information about the user, of course, would be useful to advertisers so that they could deliver  
8 their advertisements to the users.

9 More recently, wireless network services have become available which enable users to  
10 use their mobile electronic devices to connect to the wide area network while they are  
11 travelling. Information regarding the specific location of these electronic <sup>devices</sup> ~~device~~ when  
12 connected to the wide area network would be desirable so that local advertisers may use this  
13 location information to more effectively target their advertisements to their users.

### 14 SUMMARY OF THE INVENTION

15  
16 It is an object of the present invention to provide a method of marketing goods or  
17 services to users connected to a wide area network, via a mobile electronic device.

18 It is another object of the present invention to provide such a method of marketing  
19 that enables advertisers to more specifically target their advertising to such users or their  
20 electronic devices according to the web sites or files previously visited on the wide area  
21 network.

22 It is a further object of the invention to provide such a method of advertising that

09327107-060799  
2

1 enables advertisers to more effectively target customers by using the past, present, and future  
2 physical locations of their customers when connected to the wide area network.

3 These and other objects of the invention are met by an improved method of marketing  
4 to users of mobile computers or similar electronic devices linked to a wide area network. By  
5 using this method, advertisers are able to more effectively target their advertisements to users  
6 of the electronic devices according to their past web sites or files visited on the wide area  
7 network and their past, present, and anticipated future physical locations when connected to  
8 the wide area network.

9 The improved method includes the first step of identifying the electronic device connected  
10 to a wide area network. This information, known as the computer's ID information, may be the  
11 computer's permanent or temporary numerical address when connected to the wide area network  
12 or some other information closely associated <sup>with</sup> ~~to~~ the computer or electronic device, such as the  
13 telephone number used to connect to the wide area network.

14 Next, the physical location of the electronic device when connected to the wide area  
15 network is obtained using a physical location detection means coupled to the computer or  
16 electronic device. In the embodiments described herein, the physical location detection may  
17 be a cellular telephone network, GPS system, or a ground based communication transmission  
18 system coupled to the computer or electronic device.

19 Next, information regarding the web sites or files visited over the wide area network  
20 by the user of the electronic device is obtained. Such information may be obtained by  
21 searching for "cookies" on the electronic device or by reviewing the network activity records  
22 on the user's network service provider server.

1 All of the above information is then collected by a database generator to create a user  
2 file. When a plurality of user files are created, the database generator transmits <sup>advertisements</sup> ~~ads~~ to selected  
3 users of electronic devices over the wide area network for a particular advertiser, or delivers  
4 all or selected portions of the database to <sup>who wish</sup> ~~advertisers~~ to transmit advertisements themselves  
5 over the wide area network to these users. In each delivery scheme, the advertisements  
6 transmitted to targeted users are based on their electronic device's ID identification  
7 information, the electronic device's or user's network activities on the wide area network and  
8 the past, present or future physical locations of the electronic device or user when connected  
9 to the wide area network. In addition, the actual name of the user may be used and added to  
10 the user file. Other personal information about the user, such as name, gender, age,  
11 occupation, marital status, etc., may also be collected and added to the user file to further  
12 target ~~the~~ users.

### 14 BRIEF DESCRIPTION OF THE DRAWINGS

15 Fig. 1 is a flow chart diagram of the marketing method disclosed herein using a mobile  
16 electronic device connected to a wide area network via a wireless communication  
17 system and a server connected to the wide area network and operated by the data generator  
18 showing the creation of user files.

19 Fig. 2 is a flow chart diagram of the marketing method shown in Fig. 1, showing the  
20 direct transmission of advertisements from advertisers to targeted users of electronic devices  
21 connected to the wide area network.

22 Fig. 3 is a flow chart diagram of the marketing method shown in Fig. 1, showing the

transmission of advertisements by the data generator to targeted users of electronic devices connected to the wide area network.

#### DESCRIPTION OF THE PREFERRED EMBODIMENT(S)

Referring to Figs. 1-3, there is shown a method of marketing to a plurality of users 10, 10', 10'' which use an electronic device, such as a laptop, 15, 15', 15'', respectively, to connect to a wide area network 8 while travelling. In the embodiment shown herein, each laptop 15, 15', 15'' is connected to a wireless modem 18, 18', 18'' capable of connecting to a wireless network 30, 30', 30'' respectively. Each wireless network 30, 30', 30'' may be connected to a wide area network 8 to which a central server 50 is also connected. The wireless networks ~~30, 30', 30''~~ <sup>30, 30', 30''</sup> may connect to the wide area network 8 via a land line or wireless communication connection, generally referenced as 35, 35' and 35''.

Each laptop 15, 15', 15'' is also coupled to a physical location indicating means 20, 20', 20'', respectively. When each laptop 15, 15', 15'' is connected through the wide area network 8 to the central server 50, the physical location indicating means 20, 20', 20'' simultaneously transmits data informing the central server 50 of the physical location of the laptop 15, 15', 15'' at that moment. In the preferred embodiment, the physical location indicating means is a Global Positioning Satellite receiver which receives global coordinate information from overhead satellites. Loaded into the laptop 15, 15', 15'' is a software program 36, 36', 36'' which transmits the present or past coordinate information from the receiver to the central server 50 when connected thereto.

The Global Positioning System (GPS) is a location system based on a constellation of

09327107-060799

1 twenty four satellites orbiting the earth at altitudes of approximately 11,000 miles. The GPS  
2 satellites provide accurate positioning information twenty-four hours per day, anywhere in the  
3 world. GPS uses a receiver which stores orbit information at all GPS satellites. During use, a  
4 land based receiver determines the time and the positions of the overhead satellites and then  
5 calculates the amount of time it takes a GPS radio signal to travel from the satellites to the  
6 receiver. By measuring the amount of time it takes for a radio signal to travel from the  
7 satellites, the exact location of the GPS receiver can be determined. GPS receivers are  
8 available from Corvallis Microtechnology, Inc., in Corvallis, Oregon. It should be understood  
9 however, that other means for determining the user's physical location may be used, such as  
10 the user's telephone number or area code information.

11 The first step in the marketing method disclosed herein is identifying the laptop 15,  
12 15', 15" when connected to the wide area network 8. This is accomplished by determining  
13 the electronic device's ID information 52. If the central server 50 is also the user's network  
14 service provider to the wide area network 8 and a previously established account has been set  
15 up on the central server 50, the numerical or temporary address assigned to the user 10 by the  
16 <sup>network</sup> service provider may be used as the electronic device's ID information 52. If the laptop 15,  
17 15', 15" does not have a previously established account on the central server 50, a client  
18 software program, denoted 22 in Fig. 1, supplied by the operator of the central server 50,  
19 must be loaded into the laptop 15, ~~15' or 15"~~ and used to connect it to the central server 50.  
20 During use, the user's personal information is entered into the client software program 22 by  
21 the user 10 which is automatically transmitted to the central server 50 when the user 10  
22 connects to the central server 50 over the wide area network 8. The central server 50 then

1 temporarily assigns the electronic device ID information 52 to the laptop 15.

2       Next, network activity information 53 regarding the web sites or files visited by the  
3 user 10 using the laptop 15 over the wide area network 8 is compiled. Such network activity  
4 information 53 may be obtained from the client software program 22 initially used to log on to  
5 the central server 50, or from additional forms and questionnaires submitted by the user 10, or  
6 by monitoring the network connection activity when the central server 50 acts as the user's  
7 network service provider. Information regarding the web sites visited by the user 10 using  
8 the laptop 15 may also be obtained by reviewing "cookies" stored on the laptop 15 when  
9 connected to the central server 50.

10       When each user 10, 10', 10'' uses their laptop 15, 15', 15'', respectively, to connect to  
11 the central server 50, the past and present physical location information 54 of the laptop 15,  
12 15', 15'' when connected to the wide area network is automatically downloaded to the central  
13 server 50 using the physical location means 20, 20', 20'', discussed above. Future physical  
14 location information 54 can also be obtained by reviewing prior network connection  
15 information on the central server 50 or from information submitted by the user 10.

16       All of the above information 52, 53, 54 is collected from the central server 50 by a  
17 database generator 60. Additional personal user information 56 (i.e. age, gender, education,  
18 occupation, hobbies, etc.) regarding the user 10, 10', 10'' may also be obtained from other  
19 sources and collected by the database generator 60. All of this information is collected by the  
20 database generator 60 to create a user file 65, 65', 65'' for each user 10, 10', 10'',  
21 respectively. When a sufficiently large number of user files 65, 65', 65'' have been created,  
22 the database generator 60 may contact potential advertisers 70 interested in sending



advertisements 75 to targeted users 10 or <sup>their</sup> laptops 15 based on the information contained in these user files 65, 65', 65", respectively. As shown in Figs. 2 and 3, the advertisers 70 may hire the database generator 60 to transmit their advertisements 75 to targeted users 10, ~~10'~~ ~~10"~~ or laptops 15, ~~15'~~ ~~15"~~ or may purchase selected user files 65, ~~65'~~ ~~65"~~ from the database generator 60 and transmit the advertisements 75 directly themselves to the targeted users 10, ~~10'~~ ~~10"~~ or laptops 15, ~~15'~~ ~~15"~~ over the wide area network.

The following two examples illustrate how the method is to be used:

#### Example 1

An automobile dealership in Seattle, Washington, wants to sell more automobiles. It currently has a web site on a wide area network, such as the INTERNET, which offers automobiles for sale to its visitors. Very few automobiles, to date, have been sold through its web site. Studies indicate that more than 95% of its sales are to customers located within twenty-five miles of the business. It knows however, that approximately 5% of its sales are to customers who live outside the twenty-five mile radius but who, nevertheless, make the long trip to the dealership to purchase an automobile. In the Seattle area, 70% of the homes are connected to the INTERNET, 20% of the adults are connected to the INTERNET via a wireless communication network, and over 50% of the adults have cellular telephones.

Many mobile computer users connect to the INTERNET via a wireless network. Connected to the INTERNET is a network server which collects the user's ID information from third parties or by individuals who visit the web site. The network server also has means to collect physical location information and the network activity information when they are connected to the INTERNET. A database generator is able to gather this information from

1 the network server and create user files.

2 In order to sell more automobiles, the dealership generates a list of past visitors to its  
3 web site. Each time an individual visits the web site, they are required to log on by submitting  
4 their name, physical address, and e-mail address. When connection is made to their web site,  
5 the auto dealership's network server sends a cookie to the visitor's computer identifying it as  
6 a past visitor.

7 The dealership produces advertisements which it wants to transmit to each past visitor  
8 of its web site when they are within two miles of the dealership. In order to do so, the  
9 dealership contacts the database generator and requests the user files of past visitors. These  
10 past visitors are identified by their e-mail address. Using this information, the database  
11 generator is able to transmit advertisements for the dealership to past visitors of the  
12 dealership's web site when they are within two miles of the dealership and connected to the  
13 INTERNET.

## 14 Example 2

15 Tom is married, an avid golfer and likes Italian food. He is also a salesman who  
16 travels daily in his automobile servicing his clients located in a one-hundred mile radius from  
17 his home. Located in his automobile is a laptop computer with a wireless modem that enables  
18 Tom to connect to the INTERNET via a wireless ISP (Internet Service Provider). A GPS  
19 receiver is also connected to Tom's laptop computer. The central server for the ISP is able to  
20 receive location information from the GPS receiver so that the physical location of the laptop  
21 computer may be immediately determined by the central server when Tom is connected to the  
22 INTERNET.

09327107-060799

1           When Tom initially enters his automobile and starts his laptop computer, the laptop  
2 computer automatically connects to the INTERNET using the wireless ISP. Since Tom has  
3 previously set up his account on the ISP, the central server immediately knows Tom's user ID  
4 information and begins to receive real time location information via the GPS receiver  
5 connected to Tom's laptop computer. As Tom travels during the day, the central server sends  
6 advertisements to Tom's laptop computer based on his user ID information, the physical  
7 location information and the network activity information, all contained in Tom's user file  
8 collected from the central server by the database generator.

9           In compliance with the statute the invention described herein has been described in  
10 language more or less specific as to structural features. It should be understood, however,  
11 that the invention is not limited to the specific features shown, since the means and  
12 construction shown comprised only the preferred embodiments for putting the invention into  
13 effect. The invention is therefore claimed in any of its forms or modifications within the  
14 legitimate and valid scope of the amended claims, appropriately interpreted in accordance with  
15 the doctrine of equivalents.